



KONICA MINOLTA

**bizhub** 4000i

Black & White A4 printer

**bizhub  
i-SERIES IS  
SMARTER  
WORKING**  
RETHINK IT



Giving Shape to Ideas

CUSTOMER BENEFITS



**Mobile connectivity**  
Print anytime from anywhere with Konica Minolta's innovative mobile technologies



**Services**  
Efficient printer fleet management, including automatic consumables delivery, pro-active maintenance and remote setup

OPTIONS

- 1 MEDIA INPUT
- Paper tray  
PF-P23
- Paper tray  
PF-P24
- Copier desk  
SCD-5000x



- 2 MEDIA OUTPUT
- Convenience stapler  
EH-C591

LEGEND

Mandatory option

Option

This option can only be installed with the respective option above it

FINISHING FUNCTIONALITIES



Duplex



Corner  
Stapling  
(offline)

## DESCRIPTION

### MEDIA INPUT

|                       |                                                            |
|-----------------------|------------------------------------------------------------|
| PF-P23 Paper tray     | 250 sheets, A4, 60-120 g/m <sup>2</sup>                    |
| PF-P24 Paper tray     | 520 sheets, A4, 60-120 g/m <sup>2</sup>                    |
| SCD-5000x Copier desk | Provides storage space for print media and other materials |

### MEDIA OUTPUT

|                             |                                                |
|-----------------------------|------------------------------------------------|
| EH-C591 Convenience stapler | Convenient stapling of up to 50 sheets per set |
|-----------------------------|------------------------------------------------|

## TECHNICAL SPECIFICATIONS

### SYSTEM SPECIFICATIONS

|                              |                                                                                                                      |
|------------------------------|----------------------------------------------------------------------------------------------------------------------|
| System speed A4              | Up to 40 ppm                                                                                                         |
| Autoduplex speed A4          | Up to 20 ppm                                                                                                         |
| 1st page out time A4         | 7.2 sec.                                                                                                             |
| Warm-up time                 | Approx. 25 sec. <sup>1</sup>                                                                                         |
| Imaging technology           | Laser                                                                                                                |
| Toner technology             | Polymerized Toner                                                                                                    |
| Panel size/resolution        | 1 line LCD                                                                                                           |
| System memory                | 256 MB (standard/max)                                                                                                |
| Interface                    | 10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n                                                            |
| Network protocols            | TCP/IP (IPv4 / IPv6); LPD; IPP; SNMP; HTTP; HTTP(S)                                                                  |
| Printable paper size         | A6-A4; customized paper sizes                                                                                        |
| Printable paper weight       | 60-120 g/m <sup>2</sup>                                                                                              |
| Paper input capacity         | 570 sheets / 1,610 sheets (standard/max)                                                                             |
| Paper tray input (standard)  | 1x 520; A6-A4; 60-120 g/m <sup>2</sup>                                                                               |
| Paper tray input (optional)  | 1x 250 sheets; A5-A4; 60-120 g/m <sup>2</sup> (up to 2x)<br>1x 520 sheets; A5-A4; 60-120 g/m <sup>2</sup> (up to 2x) |
| Manual bypass                | 50 sheets; A6-A4; custom sizes; 60-200 g/m <sup>2</sup>                                                              |
| Finishing modes (optional)   | Staple (offline)                                                                                                     |
| Automatic duplexing          | A4; 60-105 g/m <sup>2</sup>                                                                                          |
| Output capacity              | Up to 150 sheets                                                                                                     |
| Duty cycle (monthly)         | Rec. 5,000 pages; Max. <sup>2</sup> 100,000 pages                                                                    |
| Toner lifetime               | Black up to 12,000 pages                                                                                             |
| Imaging unit lifetime        | Black up to 50,000 pages (imaging unit)                                                                              |
| Power consumption            | 220-240 V / 50/60 Hz; Less than 640 W                                                                                |
| System dimension (W x D x H) | 373 x 388 x 287 mm (without options)                                                                                 |
| System weight                | Approx. 12.4 kg (without options)                                                                                    |

### PRINTER SPECIFICATIONS

|                           |                                                                                                                                                                                                                                                          |
|---------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Print resolution          | 1200 x 1200 dpi                                                                                                                                                                                                                                          |
| Page description language | PCL 6 (XL3.0); PostScript 3; XPS                                                                                                                                                                                                                         |
| Operating systems         | Windows 7 (32/64); Windows 8.1 (32/64); Windows 10 (32/64);<br>Windows Server 2008 (32/64); Windows Server 2008 R2;<br>Windows Server 2012; Windows Server 2012 R2;<br>Windows Server 2016; Windows Server 2019;<br>Macintosh OS X 10.10 or later; Linux |
| Printer fonts             | 85 PCL Latin; 66 PostScript 3 Emulation Latin                                                                                                                                                                                                            |
| Mobile printing           | Mopria (Android); Konica Minolta Print Service (Android);<br>Konica Minolta Mobile Print (iOS/Android); WiFi Direct                                                                                                                                      |

### SYSTEM FEATURES

|            |                                                                                                                    |
|------------|--------------------------------------------------------------------------------------------------------------------|
| Security   | SSL2; SSL3 and TLS1.0/1.1/1.2 network communication;<br>IPsec support; IEEE 802.1x support; Secure print; Kerberos |
| Accounting | Active Directory support (user name + password + e-mail + smb folder)<br>optional:                                 |
| Software   | Net Care Device Manager; Web Connection;<br>Driver Packaging Utility                                               |

<sup>1</sup> Warm-up time may vary depending on the operating environment and usage

<sup>2</sup> If the maximum volume is reached within a period of one year, then a maintenance cycle must be performed

- All specifications refer to A4-size paper of 80 g/m<sup>2</sup> quality.
- The support and availability of the listed specifications and functionalities varies depending on operating systems, applications and network protocols as well as network and system configurations.
- The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a particular page size (6% coverage of A4). The actual life of each consumable will vary depending on use and other printing variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature and humidity.
- Some of the product illustrations contain optional accessories.
- Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.
- Konica Minolta does not warrant that any specifications mentioned will be error-free.
- All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

